


IN THE CLAIMS


Please amend the claims as follows:

Claim 1 (Original): A hydroxyalkyl cyclic diamine compound represented by the following formula (1):




(wherein R^1 denotes a halogen atom, m is 1 or 2, and n is an integer of 1 to 6).

Claim 2 (Currently Amended): A process for producing a cyclic diamine derivative represented by the following formula (5) or a salt thereof:




(wherein A denotes NH , an oxygen atom, or a sulfur atom; each of W^1 to W^4 denotes CH or any one of the W^1 to W^4 denotes a nitrogen atom, R^2 denotes a lower alkylthio group, a mono- or di-lower-alkylamino group, a cyclic amino group, a lower alkoxy group, a halo-lower alkoxy group, or a lower alkoxy lower alkoxy group, and each of R^3 , R^4 , and R^5 denotes a halogen atom, a hydrogen atom, a lower alkyl group, a lower alkoxy group, a lower alkoxy carbonyl group, a halo-lower alkyl group, a halo-lower alkoxy group, a lower alkoxy lower alkyl group, a lower alkoxy lower alkoxy group, a hydroxy lower alkyl group, a hydroxy lower alkoxy group, a lower alkyl carbonyl group, a lower alkylthio group, a lower


alkylsulfinyl group, a lower alkylsulfonyl group, a nitro group, or a cyano group, m is 1 or 2, and n is an integer of 1 to 6), characterized in that the method comprises reacting a hydroxyalkyl cyclic diamine compound represented by the following formula (1):




(wherein R^1 denotes a halogen atom, and each of m and n has the same meaning as defined above) with R^2H (wherein R^2 has the same meaning as defined above), to thereby form a compound represented by the following formula (2):




(wherein each of R^2 , m, and n has the same meaning as mentioned above); transforming the hydroxyl group of the compound represented by formula (2) into a leaving group, to thereby form a compound represented by the following formula (3):



(wherein X denotes a leaving group, and each of R^2 , m, and n has the same meaning as defined above); and reacting the compound (3) with a thiol derivative represented by the following formula (4):




(wherein each of A, W¹ to W⁴, R³, R⁴, and R⁵ has the same meaning as defined above), or reacting the compound (2) with a thiol derivative represented by the following formula (4) or (4'):




(wherein each of A, W¹ to W⁴, and R³ to R⁵ has the same meaning as defined above) in the presence of a phosphorus k compound.

Claim 3 (Original): An acetamide compound represented by the following formula (6):



(wherein each of R¹ and R⁶, which may be identical to or different from each other, denotes a halogen atom).

Claim 4 (Original): 3-Amino-2, 4-dibromo-6-methylpyridine represented by the following formula (7a).



Claim 5 (Original): 2, 4-Dibromo-6-methyl-3-nitropyridine represented by the following formula (24).

